L Number	Hits	Search Text	DB	Time stamp
1	0	indicat\$4 with bit adj field with source with target with operand	USPAT; US-PGPUB;	2004/06/08 09:48
			EPO; JPO;	
_	12	indicat\$4 with bit adj field and source	IBM_TDB USPAT;	2004/06/08
2	13	with target with operand	US-PGPUB;	09:53
-			EPO; JPO;	
			IBM_TDB	0004/06/00
4	13	processor with execut\$4 and indicat\$4 with bit adj field and source with target	USPAT; US-PGPUB;	2004/06/08
		with operand	EPO; JPO;	03.01
		-	IBM_TDB	
5	10		USPAT;	2004/06/08
		with bit adj field and source with target with operand and manipulat\$4	US-PGPUB; EPO; JPO;	09:54
		With Operand and manipulative	IBM TDB	
6	3		USPĀT;	2004/06/08
		with bit adj field and source with target	US-PGPUB;	09:55
		with operand and manipulat\$4 with operand	EPO; JPO; IBM TDB	
7	1	processor with execut\$4 and indicat\$4	USPAT;	2004/06/08
′	_	with bit adj field and source with target	US-PGPUB;	09:55
		with operand and manipulat\$4 with target	EPO; JPO;	
			IBM_TDB USPAT;	2004/06/08
8	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target	US-PGPUB;	09:56
		with operand and manipulat\$4 with (source	EPO; JPO;	
		and target and operand)	IBM_TDB	
9	3		USPAT;	2004/06/08
		with bit adj field and source with target with operand and manipulat\$4 with (source	US-PGPUB; EPO; JPO;	09:56
)	IBM TDB	
11	0	processor with execut\$4 and indicat\$4	USPAT;	2004/06/08
İ		with bit adj field and source with target	US-PGPUB;	09:57
		with operand and manipulat\$4 and multi\$4 adj thread	EPO; JPO; IBM TDB	
12	5		USPAT;	2004/06/08
		with bit adj field and source with target	US-PGPUB;	09:57
		with operand and manipulat\$4 and multi\$4	EPO; JPO;	
13	0	adj thread\$4 processor with execut\$4 and indicat\$4	IBM_TDB USPAT;	2004/06/08
13	U	with bit adj field and source with target	US-PGPUB;	09:58
		with operand and manipulat\$4 and multi\$4	EPO; JPO;	
		adj thread\$4 and (gbs (giga adj byte))	IBM_TDB	2004/06/08
14	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target	USPAT; US-PGPUB;	09:58
		with operand and manipulat\$4 and multi\$4	EPO; JPO;	
		adj thread\$4 and "32" adj thread	IBM_TDB	
15	0	processor with execut\$4 and indicat\$4	USPAT;	2004/06/08
		with bit adj field and source with target with operand and manipulat\$4 and multi\$4	US-PGPUB; EPO; JPO;	09.30
		adj thread\$4 and "32" near3 thread	IBM_TDB	
16	0	processor with execut\$4 and indicat\$4	USPAT;	2004/06/08
		with bit adj field and source with target	US-PGPUB;	09:58
		with operand and manipulat\$4 and multi\$4 adj thread\$4 and "bytes per second"	EPO; JPO; IBM TDB	
10	2	processor with execut\$4 and indicat\$4	USPAT;	2004/06/08
-	_	with bit adj field and source with target	US-PGPUB;	10:22
		with operand and manipulat\$4 with (source	EPO; JPO;	
17	2	and (destination target) and operand) processor with execut\$4 and indicat\$4	IBM_TDB USPAT;	2004/06/08
±/	2	with bit adj field and source with target	US-PGPUB;	10:25
		with operand and manipulat\$4 with (source	EPO; JPO;	
ĺ		and (destination target) and operand) and	IBM_TDB	
		access\$4 with (field bit)	<u>l</u>	

		111 144 111 144	HCDrm:	2004/06/00
18	2	processor with execut\$4 and indicat\$4	USPAT; US-PGPUB;	2004/06/08 11:02
		with bit adj field and source with target with operand and manipulat\$4 with (source	EPO; JPO;	11:02
		and (destination target) and operand) and	IBM TDB	
		access\$4 with (field bit) and instruction	-	
		and bit adj field		
22	2		USPAT;	2004/06/08
		with bit adj field and source with target	US-PGPUB;	11:02
		with operand and manipulat\$4 with (source	EPO; JPO;	
		and (destination target) and operand) and access\$4 with (field bit) and instruction	IBM_TDB	
		and bit adj field and operand with source		
		with destination		
-	10551	bit adj field	USPAT;	2003/12/22
			US-PGPUB;	10:17
			EPO; JPO;	
	652	access\$4 with bit adj field	<pre>IBM_TDB USPAT;</pre>	2003/12/22
_	652	access\$4 with bit adj freid	US-PGPUB;	10:17
			EPO; JPO;	1011/
			IBM_TDB	
-	11	access\$4 with bit adj field with operand	USPĀT;	2003/12/22
]		US-PGPUB;	10:17
			EPO; JPO;	
_	0	access\$4 with bit adj field with operand	<pre>IBM_TDB USPAT;</pre>	2003/12/22
_		and instruction with operation	US-PGPUB;	10:17
			EPO; JPO;	
			IBM_TDB	
_	5	access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:18
		with operand	EPO; JPO;	
l _	2	access\$4 with bit adj field with operand	IBM_TDB USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:18
		with operand and target with operand	EPO; JPO;	
		•	IBM_TDB	
-	0		USPAT;	2003/12/22
		and instruction with operation and source and target and bit with manipulat44	US-PGPUB; EPO; JPO;	10:18
		and carget and bit with manipulate44	IBM TDB	
_	1	access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:19
		and target and bit with manipulat\$4	EPO; JPO;	
	_	A4	IBM_TDB	2002/12/22
_		access\$4 with bit adj field with operand and instruction with operation and source	USPĀT; US-PGPUB;	2003/12/22
		and instruction with operation and source and target and manipulat\$4	EPO; JPO;	10.10
		and carged and manaparacy?	IBM TDB	
_	1		USPĀT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:19
		and target and manipulat\$4	EPO; JPO;	
	9	access\$4 with bit adj field with operand	<pre>IBM_TDB USPAT;</pre>	2003/12/22
-	3	and instruction with operation and source	US-PGPUB;	10:22
		and institution with operation and source	EPO; JPO;	
			IBM_TDB	
-	1	access\$4 with bit\$field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:20
		and target	EPO; JPO; IBM TDB	
_	2	access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:23
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field)	IBM_TDB	
-	1	access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:23
		and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task	EPO; JPO; IBM TDB	
		send\$4) with (data bit field) and task with manag\$4	1 DM_1 DB	
L		aren managya		I <u>.</u>

-	2	access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:23
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	2002/10/02
	2-	access\$4-with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:24
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
	_	and classif\$4	HCDNM.	2002/12/22
-		access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:24
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	1
	2	and classif\$4 and analysis access\$4 with bit adj field with operand	USPAT;	2003/12/22
-		and instruction with operation and source	US-PGPUB;	10:24
}		and instruction with operation and source and target and (transfer\$4 transmit\$4	EPO; JPO;	10.24
		send\$4) with (data bit field) and task	IBM TDB	
			L TEM_TDB	
_	1	and classif\$4 and analysis and modif\$4 access\$4 with bit adj field with operand	USPAT;	2003/12/22
-	1	and instruction with operation and source	US-PGPUB;	10:24
		and instruction with operation and source and target and (transfer\$4 transmit\$4	EPO; JPO;	10:24
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1		and classify and analysis and modify		
_	2	and thread access\$4 with bit adj field with operand	USPAT;	2003/12/22
		and instruction with operation and source	US-PGPUB;	10:26
		and thistruction with operation and source and target and (transfer\$4 transmit\$4	EPO; JPO;	10.20
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	1511_155	
		and input and output		
_	1	access\$4 with bit adj field with operand	USPAT;	2003/12/22
	-	and instruction with operation and source	US-PGPUB;	10:25
	,	and target and (transfer\$4 transmit\$4	EPO; JPO;	10.23
	}	send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	1511_155	
		and input and output adj buffer		ļ
_	2	access\$4 with bit with field with operand	USPAT;	2003/12/22
	_	and instruction with operation and source	US-PGPUB;	10:25
	İ	and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output		
-	33	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	13:19
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4		
	ļ	and input and output		
-	2	(access\$4 retriev\$4) with bit adj field	USPAT;	2003/12/22
		with operand and instruction with	US-PGPUB;	10:26
		operation and source and target and	EPO; JPO;	
		(transfer\$4 transmit\$4 send\$4) with (data	IBM_TDB	
		bit field) and task and classif\$4 and	_	
	ļ	analysis and modif\$4 and input and output		
-	9	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:27
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
1	1	and input and output with buffer		
-	9	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:42
]	and target and (transfer\$4 transmit\$4	EPO; JPO;	
	l	send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
]		and input and output with buffer and		
L		thread		

-	9	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:45
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4	HCDAT.	2003/12/22
-	2	bit adj field with operand and	USPAT;	10:45
		instruction with operation and source and target and (transfer\$4 transmit\$4	US-PGPUB; EPO; JPO;	10:45
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	TBM_TBB	
[and input and output with buffer and		
		thread and manipulat\$4 adj bit		
_	2		USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:45
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	_	
		and input and output with buffer and		
		thread and manipulat\$4 with bit		
-	9	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:50
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit		
_	9	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	10:50
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		!
		and input and output with buffer and		
		thread and manipulat\$4 same bit and access with direct		
	2	bit adj field with operand and	USPAT;	2003/12/22
	-	instruction with operation and source	US-PGPUB;	10:51
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	_	1
		and input and output with buffer and	İ	
		thread and manipulat\$4 same bit and		
		access with direct\$4 with bit		
-	8	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	11:55
	[and target and (transfer\$4 transmit\$4	EPO; JPO;	
1		send\$4) with (data bit field) and task	IBM_TDB	
1		and classif\$4 and analysis and modif\$4	1	
1		and input and output with buffer and		
1		thread and manipulat\$4 same bit and access with direct\$4 with field		
1_	1		IISDAT.	2003/12/22
-	*	bit adj field with operand and instruction with operation and source	USPAT; US-PGPUB;	11:56
		and target and (transfer\$4 transmit\$4	EPO; JPO;	1 * * * * * * * * * * * * * * * * * * *
]	send\$4) with (data bit field) and task	IBM_TDB	
1]	and classif\$4 and analysis and modif\$4		
1	ļ	and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and input	1	
		adj buffer and output adj buffer		
-	1	bit adj field with operand and	USPAT;	2003/12/22
1		instruction with operation and source	US-PGPUB;	11:56
1		and target and (transfer\$4 transmit\$4	EPO; JPO;	
1		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4	-	
]	and input and output with buffer and		
	ļ İ	thread and manipulat\$4 same bit and		
		access with direct\$4 with field and input		
1	1	with buffer and output with buffer	1	l l

	T	8	bit adj field with operand and	USPAT;	2003/12/22
		·	instruction with operation and source	US-PGPUB;	11:58
			and target and (transfer\$4 transmit\$4	EPO; JPO;	
			send\$4) with (data bit field) and task	IBM TDB	
		_	and classif\$4-and analysis and modif\$4		0 0 == 0
	İ		and input and output with buffer and		
			thread and manipulat\$4 same bit and		
	İ		access with direct\$4 with field and input		1
	1	_	same buffer and output same buffer	IICDAM.	2003/12/22
-	1	8	bit adj field with operand and	USPAT;	1 ' ' -
			instruction with operation and source	US-PGPUB;	12:24
			and target and (transfer\$4 transmit\$4	EPO; JPO;	
			send\$4) with (data bit field) and task	IBM_TDB	1
			and classif\$4 and analysis and modif\$4		1
			and input and output with buffer and		İ
			thread and manipulat\$4 same bit and		
			access with direct\$4 with field and		
			(input source) with buffer and (output		
			destination target) with buffer		
_		1	bit adj field with operand and	USPAT;	2003/12/22
		1	instruction with operation and source	US-PGPUB;	12:07
					12.07
			and target and (transfer\$4 transmit\$4	EPO; JPO;	
			send\$4) with (data bit field) and task	IBM_TDB	
	1		and classif\$4 and analysis and modif\$4		
	1		and input and output with buffer and	İ	
	1		thread and manipulat\$4 same bit and		
	1		access with direct\$4 with field and		
	1		(input source) with buffer and (output		
			destination target) with buffer and		
	}		anal\$5 with (send\$4 transmit\$4		
	1		transfer\$4)	İ	
_		0	bit adj field with operand and	USPAT;	2003/12/22
		Ŭ	instruction with operation and source	US-PGPUB;	12:07
			and target and (transfer\$4 transmit\$4	EPO; JPO;	12107
			send\$4) with (data bit field) and task	IBM TDB	1
				1511_100	
			and classif\$4 and analysis and modif\$4		
			and input and output with buffer and		
			thread and manipulat\$4 same bit and		
			access with direct\$4 with field and		ŀ
			(input source) with buffer and (output		
			destination target) with buffer and		
			anal\$5 with submi\$5		
_		0	bit adj field with operand and	USPAT;	2003/12/22
			instruction with operation and source	US-PGPUB;	10.07
			This cruck to make the operation and source	OD-EGEOD,	12:07
				EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task		12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and	EPO; JPO;	12:07
			and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4	EPO; JPO; IBM_TDB	
_		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and	EPO; JPO; IBM_TDB USPAT;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and	EPO; JPO; IBM_TDB USPAT;	2003/12/22
_		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22
_		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22
-		0	and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/22

		TYCDAM	12002/12/22
0	instruction with operation and source and target and (transfer\$4 transmit\$4	US-PGPUB; EPO; JPO;	2003/12/22
	and classif\$4 and analysis and modif\$4 and input and output with buffer and	IBM_TDB	
2665328	thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with transform\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
0	(input source) with buffer and (output destination target) with buffer and anal\$5 receiv\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4	USPAT; US-PGPUB; EPO; JPO;	2003/12/22 12:08
	send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and	IBM_TDB	
1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22
1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25
1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25
	1	and target and (transfer\$4 transmit\$4 sen\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with transform\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 sen\$4\) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and anal\$5 receiv\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 sen\$4\) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and anal\$5 receiv\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 sen\$4\) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input source) with buffer and (output destination target) with bifer and (nput source) with buffer and nanal\$5 with receiv\$4 bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 sen\$4\) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input source) with buffer and (output destination target) with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with obtain\$4 and anal\$5 with obtain\$4 and and classif\$4 and analysis and modif\$4 and linput and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and linput and outp	instruction with operation and source and target and (transfer94 transmit94 send\$4) with (data bit field) and task and classif\$4 and analysis-and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with transform\$4 2665328

_	7	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	12:56
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and	ļ.	
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction		
	0	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	12:57
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
			1011_100	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		transfer\$4 with modif\$4		
	7	bit adj field with operand and	USPAT;	2003/12/22
j	,			12:57
		instruction with operation and source	US-PGPUB;	12:57
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
			į	
		destination target) with buffer and		
		regardless with instruction and		
		transfer\$4 same modif\$4		
-	7	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	13:05
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	1
		and classif\$4 and analysis and modif\$4	1511_155	1
		and input and output with buffer and		
ļ		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4)	}	
	0		HCDAM.	2003/12/22
ľ	U	bit adj field with operand and	USPAT;	
		instruction with operation and source	US-PGPUB;	13:06
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4	_	
1		and input and output with buffer and		
- 1		thread and manipulat\$4 same bit and		
1		access with direct\$4 with field and		1
I				
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4) and	1	1
l		WICH (MODILS4 Changs4 alcers4) and		1

-	0	bit adj field with operand and	USPAT;	2003/12/22
	1	instruction with operation and source	US-PGPUB;	13:06
		and target and (transfer\$4 transmit\$4	EPO; JPO;	1
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4 -		
		and input and output with buffer and		1
		thread and manipulat\$4 same bit and		į.
		access with direct\$4 with field and		1
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4) and		
		(process\$4 transfer\$4 transmit\$4 send\$4)		İ
		with rate		
-	0	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	13:06
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	_	
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
1		regardless with instruction and		
1		(transfer\$4 transmit\$4 send\$4 submit\$4)		
1		with (modif\$4 chang\$4 alter\$4) and		
İ		(process\$4 transfer\$4 transmi\$4 send\$4)		<u> </u>
		(process, transfer, transmi, send,)		
1_	7	bit adj field with operand and	USPAT;	2003/12/22
	1 '	instruction with operation and source	US-PGPUB;	13:10
		and target and (transfer\$4 transmit\$4	EPO; JPO;	-55
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	TDE TOB	
1		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4) and gbs	TIGD > TI	2002/12/22
] -	0	bit adj field with operand and	USPAT;	2003/12/22
İ		instruction with operation and source	US-PGPUB;	13:11
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
1		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
1		with (modif\$4 chang\$4 alter\$4) and		
İ		giga\$bit	1	
	7	bit adj field with operand and	USPAT;	2003/12/23
		instruction with operation and source	US-PGPUB;	09:50
	1	and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and	1	1
ļ	1	(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
]	with (modif\$4 chang\$4 alter\$4) and		
L	<u>. </u>	giga\$bits		

			Transm.	1 2002 (12 (22
· -	7	bit adj field with operand and	USPAT;	2003/12/22
		instruction with operation and source and target and (transfer\$4 transmit\$4	US-PGPUB; EPO; JPO;	13:16
		and target and (transfersa transmitsa send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	16M_10B	
		and input and output and giga\$bits		
_	350		USPAT;	2003/12/22
-	330	10 adj gigavbics	US-PGPUB;	13:17
			EPO; JPO;	13.17
			IBM TDB	
_	42	"10" adj giga\$bits with bandwidth	USPAT;	2003/12/22
-	42	10 adj gigaphies with bandwidth	US-PGPUB;	13:17
			EPO; JPO;	13.17
			IBM TDB	
	0	"10" adj giga\$bits with bandwidth with	USPAT;	2003/12/22
-	· · · · ·	rate with transfer\$4	US-PGPUB;	13:17
	:	lace with transferva	EPO; JPO;	13.17
			IBM TDB	
	0	"10" adj giga\$bits with bandwidth with	USPAT;	2003/12/22
-	•		US-PGPUB;	13:17
		rate with process\$4	EPO; JPO;	13.17
			IBM TDB	
	11	NION - di mi ma Alika suith hamdooidth soith		2003/12/22
-	11	, , , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	13:17
		rate		13:17
			EPO; JPO;	
	_	maon 11 1 A1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	2002/12/22
-	0	"10" adj giga\$bits with bandwidth with	USPAT;	2003/12/22
		rate and bit\$field	US-PGPUB;	13:18
			EPO; JPO;	
	_		IBM_TDB	0000 (10 (00
-	9	"10" adj giga\$bits with bandwidth with	USPAT;	2003/12/22
		rate and data and bit	US-PGPUB;	13:18
			EPO; JPO;	
			IBM_TDB	
-	7		USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	13:19
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output and giga\$bits		
-	7	'' = '' 	USPAT;	2003/12/22
		instruction with operation and source	US-PGPUB;	13:20
1		and target and (transfer\$4 transmit\$4	EPO; JPO;	
}		send\$4) with (data bit field) and	IBM_TDB	
		giga\$bits		
-	7	·- - - · · · · J	USPAT;	2003/12/22
		instruction with operation and	US-PGPUB;	13:20
]		(transfer\$4 transmit\$4 send\$4) with (data	EPO; JPO;	
		bit field) and giga\$bits	IBM_TDB	
-	7	bit adj field with operand and	USPAT;	2003/12/22
		(transfer\$4 transmit\$4 send\$4) with (data	US-PGPUB;	13:20
		bit field) and giga\$bits	EPO; JPO;	
			IBM_TDB	
-	1419		USPAT;	2003/12/22
		bit field) and giga\$bits	US-PGPUB;	13:20
			EPO; JPO;	
			IBM_TDB	
-	252	(transfer\$4 transmit\$4 send\$4) with (data	USPAT;	2003/12/22
		bit field) and "10" adj giga\$bits	US-PGPUB;	13:21
			EPO; JPO;	
			IBM_TDB	
-	125	(transfer\$4 transmit\$4 send\$4) with (data	USPĀT;	2003/12/22
		bit field) and rate with "10" adj	US-PGPUB;	13:21
		giga\$bits	EPO; JPO;	
			IBM_TDB	
-	39	(transfer\$4 transmit\$4 send\$4) with (data	USPAT;	2003/12/22
			US-PGPUB;	13:22
		bit field) and rate with "10" adj	OS EGEOD,	13.22
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	13.22

_	0	(transfer\$4 transmit\$4 send\$4) with (data	USPAT;	2003/12/22
		bit field) and rate with "10" adj	US-PGPUB;	13:22
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4 process\$4) and 707/\$.ccls.	IBM_TDB	2003/12/22
	- 4	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj	USPAT; US-PGPUB;	13:29
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	13.29
		send\$4 process\$4) and 709/\$.ccls.	IBM TDB	
_	0	.	USPAT;	2003/12/22
		bit field) and rate with "10" adj	US-PGPUB;	13:28
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4 process\$4) and 712/\$.ccls.	IBM TDB	
-	0		USPAT;	2003/12/22
		bit field) and rate with "10" adj	US-PGPUB;	13:29
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4 process\$4) and soure and target	IBM_TDB	
-	1		USPAT;	2003/12/22
		bit field) and rate with "10" adj	US-PGPUB;	13:29
		giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4 process\$4) and input and output	IBM_TDB	
		with buffer (data sends) with (data	HEDAT.	2003/12/22
-	8	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj	USPAT; US-PGPUB;	13:29
	1	giga\$bits with (transfer\$4 transmit\$4	EPO; JPO;	13,49
		send\$4 process\$4) and input and output	IBM TDB	
		and buffer	15.1_155	
_	5510	multi\$thread\$4	USPAT;	2003/12/22
			US-PGPUB;	15:22
			EPO; JPO;	
			IBM TDB	
-	25	multi\$thread\$4 and "32" adj thread	USPAT;	2003/12/22
			US-PGPUB;	15:23
			EPO; JPO;	
1			IBM_TDB	
-	13	, , ,	USPAT;	2003/12/22
		bit	US-PGPUB;	15:24
			EPO; JPO;	
		multithus add and "22" add throad and	IBM_TDB USPAT;	2003/12/22
-	8	multi\$thread\$4 and "32" adj thread and bit adj field	US-PGPUB;	15:23
		bic adj lield	EPO; JPO;	13.23
			IBM TDB	
_	12	multi\$thread\$4 and "32" adj thread and	USPAT;	2003/12/22
		bit not nortel.as.	US-PGPUB;	15:25
			EPO; JPO;	
			IBM_TDB	
-	6	multi\$thread\$4 and "32" adj thread and	USPAT;	2003/12/22
		bit not nortel.as. not modelski.in.	US-PGPUB;	15:28
			EPO; JPO;	
			IBM_TDB	
-	6		USPAT;	2003/12/22
		not nortel.as. not modelski.in.	US-PGPUB;	15:29
	İ		EPO; JPO;	
	10	multicthroaded and 1122 throad! not	IBM_TDB USPAT;	2003/12/22
-	18	multi\$thread\$4 and "32 thread" not nortel.as. not modelski.in.	USPAT; US-PGPUB;	15:29
1		Horter.as. Hot moderskr.III.	EPO; JPO;	10.23
			IBM TDB	
i –	18	multi\$thread\$4 and "32 threads" not	USPAT;	2003/12/22
i		nortel.as. not modelski.in.	US-PGPUB;	15:38
			EPO; JPO;	
			IBM_TDB	
-	25	multi\$thread\$4 and "32 threads"	USPĀT;	2003/12/22
			US-PGPUB;	15:38
			EPO; JPO;	
			IBM_TDB	0000/10/00
-	274	multi\$thread\$4 and "32" with threads not	USPAT;	2003/12/22
		nortel.as. not modelski.in.	US-PGPUB;	15:38
			EPO; JPO;	
L	L		IBM_TDB	l

-	36	multi\$thread\$4 and "32" near threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 07:58
			IBM TDB	
. -	36	-multi\$thread\$4-and "32"—near threads-not	USPAT;	2003/12/22
		nortel.as. not modelski.in. not "claim 32"	US-PGPUB; EPO; JPO;	15:39
_	19	multi\$thread\$4 and "32" adj threads not	IBM_TDB USPAT;	2003/12/23
		nortel.as. not modelski.in.	US-PGPUB; EPO; JPO;	08:07
_	19	multi\$thread\$4 and "32" adj threads not	IBM_TDB USPAT;	2003/12/23
		nortel.as. not modelski.in. and thread and "32"	US-PGPUB; EPO; JPO;	08:10
_	19	multi\$thread\$4 and "32" adj threads not	IBM_TDB USPAT;	2003/12/23
		nortel.as. not modelski.in. and thread and " 32"	US-PGPUB; EPO; JPO;	08:13
_	0	multi\$thread\$4 and (has consists include	<pre>IBM_TDB USPAT;</pre>	2003/12/23
		compris\$4) adj "32" adj threads	US-PGPUB; EPO; JPO;	08:14
_	0	multi\$thread\$4 and (has consists include	IBM_TDB USPAT;	2003/12/23
		compris\$4) adj "32" adj processors	US-PGPUB; EPO; JPO;	08:14
_	45	multi\$thread\$4 and (has consists include	IBM_TDB USPAT;	2003/12/23
		compris\$4) with "32" with threads	US-PGPUB; EPO; JPO;	08:15
_	45	multi\$thread\$4 and (has consists include	IBM_TDB USPAT;	2003/12/23
		compris\$4) with " 32" with threads	US-PGPUB; EPO; JPO;	08:15
_	3199	multi\$thread\$4 adj process\$4and (has	IBM_TDB USPAT;	2003/12/23
		consists include compris\$4) with " 32" with threads	US-PGPUB; EPO; JPO;	08:15
-	18	multi\$thread\$4 adj process\$4 and (has	<pre>IBM_TDB USPAT;</pre>	2003/12/23
		consists include compris\$4) with " 32" with threads	US-PGPUB; EPO; JPO; IBM TDB	08:16
_	18	multi\$thread\$4 adj process\$4 and (has	USPAT;	2003/12/23
		consists include compris\$4) with " 32" with threads not nornel.as. not	US-PGPUB; EPO; JPO;	08:17
-	18	modelski.in. multi\$thread\$4 adj process\$4 and (has	IBM_TDB USPAT;	2003/12/23
		consists include compris\$4) with " 32" with threads not nornel.as. not	US-PGPUB; EPO; JPO;	08:18
	1.0	modelski.in. not "claim 32"	IBM_TDB	0000/10/00
_	18	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nornel.as. not	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 08:22
		modelski.in. not "claim 32".clm.	IBM_TDB	
-	7	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nornel.as. not	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 08:32
		modelski.in. and thread adj register	IBM_TDB	
-	23		USPAT;	2003/12/23
			US-PGPUB; EPO; JPO; IBM TDB	08:32
-	0		USPĀT;	2003/12/23
		threads"	US-PGPUB; EPO; JPO;	08:33
L	I	<u> </u>	IBM_TDB	L

_	0	multi\$thread\$4 adj machine and "32	USPAT;	2003/12/23
		thread"	US-PGPUB;	08:33
			EPO; JPO;	
	2247690	multifthmondf4 adi maghine and thread	IBM_TDB USPAT; -	2003/12/23
	- 2347-680	multi\$thread\$4 adj-machine and thread - anear "32"	US-PGPUB;	08:33
		anear "32"	EPO; JPO;	08:33
			IBM TDB	
	,	multicthusedC4 add machine and thused	USPAT;	2003/12/23
-	_	multi\$thread\$4 adj machine and thread near "32"	US-PGPUB;	08:37
		near 32	EPO; JPO;	00.37
			IBM TDB	
1_	1 1	multi\$thread\$4 adj machine and thread	USPAT;	2003/12/23
	*	near2 "32"	US-PGPUB;	08:37
			EPO; JPO;	
			IBM TDB	
_	1	multi\$thread\$4 adj machine and thread	USPAT;	2003/12/23
	_	near3 "32"	US-PGPUB;	08:37
•		1.04.20	EPO; JPO;	
			IBM TDB	
-	1	multi\$thread\$4 adj machine and thread	USPAT;	2003/12/23
1		near4 "32"	US-PGPUB;	08:37
			EPO; JPO;	
		*	IBM TDB	
-	2		USPAT;	2003/12/23
		with "32"	US-PGPUB;	08:38
			EPO; JPO;	
			IBM_TDB	
-	0	multi\$thread\$4 adj machine and "32	USPAT;	2003/12/23
		threads"	US-PGPUB;	08:38
			EPO; JPO;	
			IBM_TDB	
-	10	multi\$thread\$4 with machine and "32	USPAT;	2003/12/23
İ		threads"	US-PGPUB;	08:39
			EPO; JPO;	1
	_		IBM_TDB	
-	3	multi\$thread\$4 with machine and "32	USPAT;	2003/12/23
		threads" not modelski.in. not nortel.as.	US-PGPUB;	08:40
i			EPO; JPO;	
	1257		IBM_TDB	2002/12/22
-	1357	"32 threads" not modelski.in. not	USPAT;	2003/12/23
		nortel.as.	US-PGPUB;	08:51
			EPO; JPO; IBM TDB	
_	10	"32 threads" not modelski.in. not	USPAT;	2003/12/23
	19	nortel.as. and multi\$thread\$4	US-PGPUB;	08:41
		Horocitas, and marcrychicadya	EPO; JPO;	00.31
			IBM TDB	
_	49	"32 threads" not modelski.in. not	USPAT;	2003/12/23
		nortel.as. and multi\$6 with process\$4	US-PGPUB;	08:53
			EPO; JPO;	
			IBM TDB	
-	2	bit adj field with operand and	USPAT;	2003/12/23
	_	instruction with operation and source	US-PGPUB;	09:51
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4	_	
]		and input and output with buffer and		
1		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
!		with (modif\$4 chang\$4 alter\$4) and		
		giga\$bits and bus with flow		

_	7	bit adj field with operand and	USPAT;	2003/12/23
		instruction with operation and source	US-PGPUB;	10:25
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM TDB	
		and classif\$4 and analysis and modif\$4		
		and input and output with buffer and		
		thread and manipulat\$4 same bit and		
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4) and		
		giga\$bits and bus with software		
-	7	bit adj field with operand and	USPAT;	2003/12/23
		instruction with operation and source	US-PGPUB;	10:26
		and target and (transfer\$4 transmit\$4	EPO; JPO;	
		send\$4) with (data bit field) and task	IBM_TDB	
		and classif\$4 and analysis and modif\$4		
		and thread and manipulat\$4 same bit and		•
		access with direct\$4 with field and		
		(input source) with buffer and (output		
		destination target) with buffer and		
		regardless with instruction and		
		(transfer\$4 transmit\$4 send\$4 submit\$4)		
		with (modif\$4 chang\$4 alter\$4) and		
		giga\$bits and bus with software and		
		buffer with (input source) and buffer		
	1	with (target output destination)		